

74

**ORIGINAL**



**PETRONAS**

**CERTIFICATE OF ANALYSIS**

Page 1 of 2

**BUTYL CARBITOL SOLVENT 200KG Steel Drum**

Carrier/Vehicle ID	: EGHU 3284109	Material ID	: 72000012
Customer P.O. No.	: QTN-0000036153-1	Customer No.	: 8010000329
Sales Order No.	: 100357239	Batch No.	: 44954D
Delivery Qty	: 17.000	Delivery No.	: 500672108
Delivery Unit	: DR	Inspection Dt.	: 05 FEB 2021

NOTE: THE TEST CHARACTERISTICS AND THEIR UNITS, TOLERANCES AND RESULTS LISTED BELOW WILL VARY DEPENDING ON THE BUSINESS, CUSTOMER & MATERIAL REQUIREMENTS.

Test Characteristics	Results	Unit	Tolerance Limits	Method
BUTYL CARBITOL	99.7	WTP	99.0 - 100.0	1B-11C4-1
ACIDITY AS ACETIC ACID	0.001	WTP	0.000 - 0.010	1B-ZMETH-1.13
WATER	0.02	WTP	0.00 - 0.10	1B-ZMETH-24.02
COLOR	3	PTCO	0 - 10	1B-ZMETH-3.15
APPEARANCE	PASS:Clear	-	-	1B-ZMETH-20.10

This product meets the Product Sales Specification. This result is based on the sample being tested.

This is a computer generated document. No signature is required.

**PETRONAS CHEMICALS MARKETING (LABUAN) LTD (LL08320)**  
**GST Registration Number: 002110029824**

(Licensed as Labuan International Commodity Trading Company; LFSSA License No: LITC/14/0021)  
Registered Office: Unit Level 13(A), Main Office Tower, Financial Park Labuan, Jalan Merdeka, 87000 F.T.Labuan, Malaysia.  
Business Office: Level 34, Tower 1, PETRONAS Twin Towers, Kuala Lumpur City Centre, 50088 Kuala Lumpur, Malaysia.

ORIGINAL



**PETRONAS**

### CERTIFICATE OF ANALYSIS

Page 2 of 2

#### BUTYL CARBITOL SOLVENT 200KG Steel Drum

Carrier/Vehicle ID	: EGHU 3284109	Material ID	: 72000012
Customer P.O. No.	: QTN-0000036153-1	Customer No.	: 8010000329
Sales Order No.	: 100357239	Batch No.	: 44954E
Delivery Qty	: 63.000	Delivery No.	: 500672108
Delivery Unit	: DR	Inspection Dt.	: 06 FEB 2021

NOTE: THE TEST CHARACTERISTICS AND THEIR UNITS, TOLERANCES AND RESULTS LISTED BELOW WILL VARY DEPENDING ON THE BUSINESS, CUSTOMER & MATERIAL REQUIREMENTS.

Test Characteristics	Results	Unit	Tolerance Limits	Method
BUTYL CARBITOL	99.7	WTP	99.0 - 100.0	1B-11C4-1
ACIDITY AS ACETIC ACID	0.001	WTP	0.000 - 0.010	1B-ZMETH-1.13
WATER	0.01	WTP	0.00 - 0.10	1B-ZMETH-24.02
COLOR	3	PTCO	0 - 10	1B-ZMETH-3.15
APPEARANCE	PASS:Clear	-	-	1B-ZMETH-20.10

This product meets the Product Sales Specification. This result is based on the sample being tested.

This is a computer generated document. No signature is required.

**PETRONAS CHEMICALS MARKETING (LABUAN) LTD (LL08320)**

**GST Registration Number: 002110029824**

(Licensed as Labuan International Commodity Trading Company; LFSSA License No: LITC/14/0021)

Registered Office: Unit Level 13(A), Main Office Tower, Financial Park Labuan, Jalan Merdeka, 87000 F.T.Labuan, Malaysia.

Business Office: Level 34, Tower 1, PETRONAS Twin Towers, Kuala Lumpur City Centre, 50088 Kuala Lumpur, Malaysia.

**ORIGINAL**



**PETRONAS**

**CERTIFICATE OF ANALYSIS**

Page 1 of 2

**BUTYL CARBITOL SOLVENT 200KG Steel Drum**

Carrier/Vehicle ID : TRHU 1310972  
Customer P.O. No. : QTN-0000036153-1  
Sales Order No. : 100357239  
Delivery Qty : 37.000  
Delivery Unit : DR  
Material ID : 72000012  
Customer No. : 8010000329  
Batch No. : 44954E  
Delivery No. : 500672109  
Inspection Dt. : 06 FEB 2021

NOTE: THE TEST CHARACTERISTICS AND THEIR UNITS, TOLERANCES AND RESULTS LISTED BELOW WILL VARY DEPENDING ON THE BUSINESS, CUSTOMER & MATERIAL REQUIREMENTS.

Test Characteristics	Results	Unit	Tolerance Limits	Method
BUTYL CARBITOL	99.7	WTP	99.0 - 100.0	1B-11C4-1
ACIDITY AS ACETIC ACID	0.001	WTP	0.000 - 0.010	1B-ZMETH-1.13
WATER	0.01	WTP	0.00 - 0.10	1B-ZMETH-24.02
COLOR	3	PTCO	0 - 10	1B-ZMETH-3.15
APPEARANCE	PASS:Clear	-	-	1B-ZMETH-20.10

This product meets the Product Sales Specification. This result is based on the sample being tested.

This is a computer generated document. No signature is required.

**PETRONAS CHEMICALS MARKETING (LABUAN) LTD (LL08320)**  
**GST Registration Number: 002110029824**

(Licensed as Labuan International Commodity Trading Company; LFSSA License No: LITC/14/0021)  
Registered Office: Unit Level 13(A), Main Office Tower, Financial Park Labuan, Jalan Merdeka, 87000 F.T.Labuan, Malaysia.  
Business Office: Level 34, Tower 1, PETRONAS Twin Towers, Kuala Lumpur City Centre, 50088 Kuala Lumpur, Malaysia.



**PETRONAS**

**CERTIFICATE OF ANALYSIS**

Page 2 of 2

**BUTYL CARBITOL SOLVENT 200KG Steel Drum**

Carrier/Vehicle ID : TRHU 1310972  
Customer P.O. No. : QTN-0000036153-1  
Sales Order No. : 100357239  
Delivery Qty : 43.000  
Delivery Unit : DR  
Material ID : 72000012  
Customer No. : 8010000329  
Batch No. : 44954F  
Delivery No. : 500672109  
Inspection Dt. : 07 FEB 2021

NOTE: THE TEST CHARACTERISTICS AND THEIR UNITS, TOLERANCES AND RESULTS LISTED BELOW WILL VARY DEPENDING ON THE BUSINESS, CUSTOMER & MATERIAL REQUIREMENTS.

Test Characteristics	Results	Unit	Tolerance Limits	Method
BUTYL CARBITOL	99.7	WTP	99.0 - 100.0	1B-11C4-1
ACIDITY AS ACETIC ACID	0.002	WTP	0.000 - 0.010	1B-ZMETH-1.13
WATER	0.01	WTP	0.00 - 0.10	1B-ZMETH-24.02
COLOR	3	PTCO	0 - 10	1B-ZMETH-3.15
APPEARANCE	PASS:Clear	-	-	1B-ZMETH-20.10

This product meets the Product Sales Specification. This result is based on the sample being tested.

This is a computer generated document. No signature is required.

**PETRONAS CHEMICALS MARKETING (LABUAN) LTD (LL08320)**  
**GST Registration Number: 002110029824**

(Licensed as Labuan International Commodity Trading Company; LFSSA License No: LITC/14/0021)  
Registered Office: Unit Level 13(A), Main Office Tower, Financial Park Labuan, Jalan Merdeka, 87000 F.T.Labuan, Malaysia.  
Business Office: Level 34, Tower 1, PETRONAS Twin Towers, Kuala Lumpur City Centre, 50088 Kuala Lumpur, Malaysia.